Form 10-300 (Rev. 6-72)

SEE

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

STATE:				
	Ohi	o		
COUNTY				
	Sun	nmit		
	FOR N	PŞ US	E ON	LY
ENTRY D	ATE			
		CED	0	1974

		ENTRY DATE						
	(Type all entries - c	SEP	9 1974					
1.	NAME							
	Ohio and Erie	Canal Deer	o Lock					
	AND/OR HISTORIC:		- 130 CR				-	
			•					
2.	OCATION							
	Riverview Road	+ Peninsu	la on					
				CONGRESSI	ONAL DISTRICT:		\dashv	
	Peninsula Beston Township	VIETNITC		14	- John Seiberl	ing		
	STATE	<u> </u>	CODE	COUNTY:		CODI	E	
	Ohio		039		Summit	153		
3. (CLASSIFICATION					I		
	CATEGORY (Check One)	ÖMN	ERSHIP		STATUS	TO THE PUBLI	С	
		Public Pub	lic Acquisiti	ion:	Occupied	Yes:	_	
	Dougung	Private	☐ In Proc		Unoccupied ✓ Unoccupied	☐ Restricted		
	☐ Object ☐	Both	Being	Considered	Preservation work	☑ Unrestricted		
					in progress	□ No		
	PRESENT USE (Check One or More a	as Appropriate)					_	
	Agricultural Govern				Transportation	☐ Comments		
	Commercial Industri	_	ivate Reside eligious	nce	Other (Specify)		-	
	Entertainment Museum	_	ientific	-				
4.	OWNER OF PROPERTY				- Company of the Comp			
******	OWNER'S NAME:			•				ST
	State of Ohio	o Departme	nt of P	ublic Wo	orks .		1	ATE
	street and number: 65 S. Front	Street						
	CITY OR TOWN:	Direct		STATE		CODE	Q	İ
	Columbus	•		0	hio	039	Ohio	
5.	LOCATION OF LEGAL DESCRIP							_
	courthouse, registry of deed Summit Coun		•				70	COUN
	STREET AND NUMBER:	ity Duriding						-4-1
	72 South High	h Street	_				mmit	: :
	CITY OR TOWN:			STATE		CODE	rit	
	Akron			0	hio	039		- -
1	 REPRESENTATION IN EXISTING	SUBVEYS				1		
	TITLE OF SURVEY:				14115	` .		m Z
					1.5		2	진
	DATE OF SURVEY: DEPOSITORY FOR SURVEY RECOR	[Federal	☐ State	/OV RECEIVEUS	1 Noch	0	FOR NPS
	DEPOSITOR! FOR SURVEY RECOR				MAY 1 3 1974	1		PS (
	STREET AND NUMBER:				NATIONAL	H	3	USE USE
					TA REGISTER	<u> </u>		ONLY
	CITY OR TOWN:			STATE		CODE		n l
					- William	%		ATE
					*5%		1 1	

	DESCRIPTION						
					(Check One)		
	COMPLETION	☐ Excellent	▼ Good	☐ Fair	Deteriorated	Ruins	Unexposed
CONDITION		(Check Or	1e)		(Check One)		
		X Altered	ed	Unaltered	i	☐ Moved	Original Site
- 1							

This is a stone masonry canal lock structure. The channel is 90 feet long by 15 feet wide by 16 feet deep. The structure is essentially two parallel walls of cut stone construction. At the south end they are connected by the slightly concave low retaining wall of the upper channel. At the north or deep end, the walls flare outward to facilitate the approach of the boats. The gate post channels are clearly visible. Parts of the sand-stone walls were faced with cement in 1907-1908, with the idea



of preventing further weathering of the stone, but the old

stonework walls are in good condition.

3.

SIGNIFICANCE			
PERIOD (Check One or More as A	ppropriate)		
Pre-Columbian	☐ 16th Century	☐ 18th Century	20th Century
☐ 15th Century	☐ 17th Century	■ 19th Century	•
SPECIFIC DATE(S) (If Applicable	e and Known) 182	27	
AREAS OF SIGNIFICANCE (Chec	k One or More as Appropr	iate)	
Abor iginal	Education	☐ Political	Urban Planning
☐ Prehistoric		Religion/Phi-	Other (Specify)
☐ Historic	☐ Industry	losophy	
☐ Agriculture	Invention	Science	
Architecture	Landscape	Sculpture	
☐ Art	Architecture	Social/Human-	
☐ Commerce	Literature	itarian	
Communications	☐ Military	Theater	
Conservation	Music	▼ Transportation	

STATEMENT OF SIGNIFICANCE

The development of the canals was an event that made a significant contribution to the broad patterns of state and national history. This lock is the deepest one of the chain between Akron and Cleveland on the Ohio and Erie Canal. It was Lock number 28 of the Akron-Cleveland section, and was commonly called Deep Lock.

Discussions on the possibility of an Ohio-Erie Canal began Surveys at the Cuyahoga Portage began in 1825. in 1821-1822. In September of that year the feasibility of the route was determined, and work on the Cuyahoga Section was definitely in progress in the summer of 1826. In April, 1827, the Commission for Canals determined to complete the Akron -Cleveland line (36 miles with 42 locks) by June 1st. first boat arrived in Cleveland from Akron on July 4, 1827. Deep Lock was thus part of a major transportation system in the 1830's and 1840's. The importance of the canals declined after the Civil War, and ceased to function for all practical purposes around 1900. The restoration of some locks with concrete in 1907 was ostensibly to make the canal serviceable for pleasure boating, but it was not long before it was completely abandoned.

Other canal remains between Peninsula and Akron are insignificant. The nearest canal remains have been included in another National Register nomination for Peninsula Village.



F	rank Wilco: 93-95.	x, <u>]</u>	Γhe Ohi	o Ca	nals	_ (Kent,	Ohio,	1969)	, 17-21	, 34-	37,	
							·.						
A E A C I	NABUICAL DATA												
		NGITU	JDĘ COORDI	NATES									
DEFIN	ING A RECTANGLE	LOC	ATING THE	PROPE	RTY	R	DEF					ERTY	1153690
	LATITUDE)E	17/453690
	Degrees Minutes Se	conds	Degrees Mi	nutes Se	conds #							Seconds	4564540
NE	۰ ,		۰	•	. ,		41	13	58	81	33	09	1
SE	۰,	*	٥	•					•				CD
SW	MATE ACREAGE O	FNON	INATED PE	OPERT	Y:	16	ee tha	n one		<u>L</u>		· · · · · · · · · · · · · · · · · · ·	†
										OUNDARIE	S		2
	<u> </u>				CODE				(3)	<u>AU15</u>		CODE	m ·
					CODE	+,	COUNTY		S DI	CENTI	XO)	CODE	∤ '"
IAIE:	·		t	-	·	- `	COONTT	/.	W 111	-PFIAFF		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	-
TATE:					CODE	1	COUNTY:		MAY	1 3 1974	E	CODE	Z
					`	1			N	<u>ANOITA</u>	L /201	4] <i>S</i> .
TATE				-	CODE	- '	COUNTY:		R	EGISTE		CODE]
FORM	PREPARED BY									III M	9		~ ~
	ID TITLE:		D				ict			100			0
D C A NI 7		nnes	sen, Pr	eser	valie)11	196			DATE		,	
RGANIZ	Western	Res	erve H	istor	ical	S	ociety			Oct	ober	19 7 3	_
TREET		ast	Bouleva	rd									o (
ITY OR		nd				s	TATE O	hio				039	S
STATE	LIAISON OFFIC	ER C	ERTIFICA	ION			ŀ	IATIONA	L REGIST	ER VERI	FICATIO	N	
tional 89-665 in the evalua forth t	Historic Preserva 5), I hereby nomina National Register ated according to to by the National Pa of significance of	tion Ante this and che chink Ser	Act of 1966 is property certify that iteria and provide. The momination in the control of the co	(Public for incl it has l rocedur recomm	Law usion been es set nended	11	Director Date	Al Regist	Wor	leens	<u>مت</u>	·	
	GEOGI DEFIN ORNER NW NE SE SW APPROXI IST ALL ITATE: ITA	GEOGRAPHICAL DATA LATITUDE AND LO DEFINING A RECTANGLE ORNER LATITUDE Degrees Minutes Se NW NE SE SW SW SI PPROXIMATE ACREAGE O LIST ALL STATES AND COLITATE: TATE: TATE: FORM PREPARED BY NAME AND TITLE: Eric Joha ORGANIZATION Western TREET AND NUMBER: 10825 E CITY OR TOWN: Clevelar STATE LIAISON OFFIC As the designated State tional Historic Preserva 89-665), I hereby nomina in the National Register evaluated according to the forth by the National Palevel of significance of National Name Name Name Name	GEOGRAPHICAL DATA LATITUDE AND LONGITUDE FINING A RECTANGLE LOC ORNER LATITUDE Degrees Minutes Seconds NW NE SE SW SW SW SW SW SW SW SW S	GEOGRAPHICAL DATA LATITUDE AND LONGITUDE COORDI DEFINING A RECTANGLE LOCATING THE ORNER LATITUDE LONG NW ON ON ONE SE ON ONE SW ON ONE SE ON ONE SW ON SW	GEOGRAPHICAL DATA LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPE ORNER LATITUDE LONGITUDE Degrees Minutes Seconds Degrees Minutes Seconds NW O O O O O O O O O O O O O O O O O O	GEOGRAPHICAL DATA LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY CORNER LATITUDE Degrees Minutes Seconds NW NE NE NE NE NE NE NE NE NE	GEOGRAPHICAL DATA LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY ORNER LATITUDE LONGITUDE Degrees Minutes Seconds Degrees Minutes Seconds NW	GEOGRAPHICAL DATA LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY CORNER LATITUDE Degrees Minutes Seconds NW NE O O O O O O O O O O O O O O O O O O	GEOGRAPHICAL DATA LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY ORNER LATITUDE LONGITUDE Degrees Minutes Seconds NW 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	GEOGRAPHICAL DATA LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY ORNER LATITUDE Degrees Minutes Seconds NW O O O O O O O O O O O O O	GEOGRAPHICAL DATA LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PRODERTY COMMER LATITUDE Degrees Minutes Seconds NW NE SE SW 2 SW 3 SW 2 SW 2 SW 2 SW 3 SW 4 SW	GEOGRAPHICAL DATA LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGE LOCATING THE PROPERTY OFFICES THAN TENA CRES NO NEE LATITUDE Degrees Minutes Seconds NO NE 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	CODE TATE: CODE COUNTY: CODE COUNTY: CODE COUNTY: CODE CODE COUNTY: CODE COUNTY: CODE COUNTY: CODE CODE COUNTY: CODE COUNTY: CODE CODE CODE CODE CODE CODE CODE COUNTY: CODE COUNTY: CODE CODE CODE CODE CODE CODE CODE CODE CODE COUNTY: CODE CO

9. MAJOR BIBLIOGRAPHICAL REFERENCES

Form 10-300a (July 1969)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

·	
Ohio	
OUNTY	
Summit	
FOR NPS USE ONL	Υ
ENTRY NUMBER	DATE
SEP 9 19/4	

(Continuation Sheet)

(Number all entries)

8. Amplification of Statement of Significance

There are no known ruins, either above or below ground, of buildings associated with the Deep Lock. It is unlikely that any are left underground, since the slope of the ground adjacent to the lock makes the site unsuitable for building construction.

The lock is known as the Deep Lock simply because it is the deepest on the canal. The topography of the land between Akron and Cleveland required 42 locks on the canal, and the depth of the Deep Lock gave the elevation required at that point. That is, it was made as deep as it had to be.